World Health Organization

Immunization, Vaccines and Biologicals (IVB)

MEASLES

Number of reported measles cases by WHO Region

2026

Region	Member States*	Suspected MR cases	Measles cases	Clin	Epi	Lab	Date Received
AFR	41/47	81,268	49,963	15,599	25,622	8,742	2026-08
AMR	30/35	51,421	24,370	2	560	23,808	2026-08
EMR	20/21	63,038	36,015	14,394	8,144	13,477	2026-08
EUR	40/53	22,667	13,305	1,018	540	11,747	2026-08
SEAR	10/10	156,416	89,337	16,728	35,423	37,186	2026-08
WPR	26/28	35,236	7,403	1,214	2,083	4,106	2026-08
Total	**167/194**	**410,046**	**220,393**	**48,955**	**72,372**	**99,066**	

Region	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
AFR	10,250	11,822	10,281	6,336	4,939	4,495	1,838	2	0	0	0	0
AMR	3,524	5,640	7,178	3,514	2,498	1,287	717	12	0	0	0	0
EMR	5,873	5,201	5,490	7,362	5,652	4,342	1,907	188	0	0	0	0
EUR	2,725	2,824	2,584	2,354	1,582	1,175	61	0	0	0	0	0
SEAR	4,088	4,834	11,118	29,299	25,213	10,400	4,385	0	0	0	0	0
WPR	1,650	1,675	1,390	1,369	962	299	58	0	0	0	0	0
Total	**28,110**	**31,996**	**38,041**	**50,234**	**40,846**	**21,998**	**8,966**	**202**	**0**	**0**	**0**	**0**

2025

Region	Member States*	Suspected MR cases	Measles cases	Clin	Epi	Lab	Date Received
AFR	43/47	114,292	66,334	31,458	14,662	20,214	2026-08
AMR	35/35	42,857	14,644	94	3,010	11,540	2026-08
EMR	21/21	135,080	75,876	32,517	12,111	31,248	2026-08
EUR	47/53	53,312	36,683	4,902	6,017	25,764	2026-08
SEAR	10/10	110,180	19,877	3,865	4,416	11,596	2026-08
WPR	28/28	135,224	44,155	3,845	12,703	27,607	2026-08
Total	**184/194**	**590,945**	**257,569**	**76,681**	**52,919**	**127,969**	

Region	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
AFR	6,569	7,567	9,775	6,602	7,279	5,760	4,524	4,671	3,978	4,224	3,221	2,164
AMR	74	440	1,231	2,532	2,200	1,909	1,687	894	760	653	783	1,481
EMR	6,988	7,778	9,641	9,542	9,054	6,294	6,149	4,593	3,972	4,010	3,806	4,049
EUR	4,989	4,548	5,606	5,950	5,718	3,942	1,923	834	508	485	701	1,479
SEAR	1,371	1,560	2,029	2,111	1,632	1,173	1,211	895	1,224	1,709	2,087	2,875
WPR	2,618	2,711	2,372	2,341	5,761	8,169	4,855	4,594	4,211	3,711	1,873	939
Total	**22,609**	**24,604**	**30,654**	**29,078**	**31,644**	**27,247**	**20,349**	**16,481**	**14,653**	**14,792**	**12,471**	**12,987**

Notes: Based on data received 2026-08 - This is surveillance data, hence for the last month, the data may be incomplete. * Member States Reporting / Total Member States in Region

Measles/rubella verification of elimination

Measles

Region	Member States	Verified	% Verified	Eliminated	Endemic*	Not classified
AFR	47	3	6	0	44	0
AMR	35	33	94	0	1	1
EMR	21	4	19	2	15	0
EUR	53	32	60	1	19	1
SEAR	10	4	40	0	6	0
WPR	28	19	68	0	9	0
GLOBAL	**194**	**95**	**49**	**3**	**94**	**2**



Rubella

Region	Member States	Verified	% Verified	Eliminated	Endemic*	Not classified
AFR	47	3	6	0	44	0
AMR	35	34	97	0	0	1
EMR	21	4	19	2	15	0
EUR	53	49	92	0	0	4
SEAR	10	6	60	0	4	0
WPR	28	19	68	2	7	0
GLOBAL	**194**	**115**	**59**	**4**	**70**	**5**



Notes: Based on data available at WHO HQ as of 2026-08-10 . Terms used on this slide refer to the global framework for the verification of measles and rubella elimination. These terms might differ from those used by WHO Regional Offices. Verified = Elimination verified by Regional Verification Commission (RVC); Eliminated = Eliminated transmission but no RVC verification yet; *The endemic category on this slide also includes countries where transmission was reestablished.

Measles case distribution by month and WHO Region (2021-2026)



Based on data received 2026-08 - Data Source: IVB Database - This is surveillance data, hence for the last month(s), the data may be incomplete.

Measles Incidence Rate per Million (12M period)



World Health Organization

Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do notimply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Highest incidence rates

Country	Cases	Rate
Mongolia	3962	1,126.50
Lao People's Democratic Republic	5108	648.80
Maldives	335	632.46
Yemen	26239	628.12
Kazakhstan	8913	427.61
Cameroon	11679	390.87
Guatemala	7071	378.37
Angola	13603	348.44
Bangladesh	57649	328.13
Central African Republic	1433	259.92

Notes: Based on data received 2026-08 - Surveillance data from 2025-07 to 2026-06 - Incidence: Number of cases / population * 1,000,000 - Population data: World population prospects, 2024 revision

Immunization Agenda 2030 - Impact Goal 1.3

Countries provisionally meeting the large or disruptive outbreaks definition - Data from 2025-04 to 2026-03 included

Country	Cases	Rate/M	Clinical*
Mongolia	13,841	3,891.42	0%
Yemen	28,850	671.53	82%
Lao People's Democratic Republic	5,330	668.42	0%
Kyrgyzstan	3,873	523.35	48%
Kazakhstan	8,728	413.97	5%
Angola	14,503	360.63	75%
Cameroon	9,689	316.21	2%
Central African Republic	1,513	265.49	1%
Guatemala	4,593	242.14	0%
Madagascar	6,784	202.37	30%
Tajikistan	1,843	167.87	0%
Sudan	8,563	160.71	1%
Togo	1,151	131.09	2%
Afghanistan	5,885	130.64	0%
Romania	2,444	130.00	4%
Canada	5,073	125.36	0%
Mexico	15,461	116.25	0%
Rwanda	1,595	107.12	92%
Georgia	397	104.35	19%
Belize	44	102.65	5%
Maldives	49	92.19	96%
Burundi	1,326	90.03	2%
Namibia	273	86.58	27%
Somalia	1,694	83.42	0%
Pakistan	20,710	79.87	21%
Congo	505	76.08	5%

Country	Cases	Rate/M	Clinical*
Liberia	396	67.65	0%
South Africa	3,862	59.00	56%
Ghana	2,023	56.67	96%
Nigeria	13,452	55.49	87%
DR Congo	6,317	54.25	3%
Republic of Moldova	153	51.67	1%
Indonesia	13,610	47.28	0%
Philippines	5,086	43.20	69%
Bolivia (Plurinational State of)	550	43.14	16%
Chad	910	42.21	2%
Russian Federation	5,904	41.17	0%
Niger	1,056	36.65	7%
Zimbabwe	602	34.85	100%
Bangladesh	6,047	34.01	18%
Ukraine	1,137	28.76	5%
South Sudan	357	28.71	75%
United Arab Emirates	322	27.82	9%
Burkina Faso	661	26.87	28%
Belgium	306	25.99	10%
Malawi	576	25.28	1%
Latvia	43	23.42	0%
Albania	64	23.26	0%
Malaysia	832	22.87	19%
Côte d'Ivoire	732	21.85	0%
Mozambique	788	21.51	3%
Cambodia	377	20.89	0%



World Health Organization

Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do notimply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Total: 52 countries

In the frame of tracking progress towards the goals of Immunization Agenda 2030 (IA2030), an indicator has been developed by a working group in order to represent large or disruptive measles outbreaks. This indicator is defined as an incidence equal or greater than 20 reported measles cases per million population over a period of 12 months. It is important to note that measles outbreak definitions vary between countries and regions according to local context and level of progress towards regional elimination goals. This definition of large or disruptive outbreaks aims to complement and not replace the national and regional definitions, while also providing a degree of global standardization and permitting tracking of progress against a common metric.

Notes: Based on data received 2026-08 and covering the period between 2025-04 and 2026-03 - Incidence: Number of cases / 1M population - Population Data: World population prospects, 2024 revision - A high proportion of clinical cases indicates a high level of uncertainty associated with the incidence rates and the inclusion of countries in this list.

Number of Reported Measles Cases (Last 6 months)



Country	Cases*
Bangladesh	57,561
India**	26,332
Yemen	14,961
Mexico	12,252
Pakistan	11,212
Cameroon	9,394
Guatemala	7,067
Kazakhstan	6,968
Angola	6,737
Madagascar	5,664

World Health Organization

Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do notimply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Notes: Based on data received 2026-08 - Surveillance data from 2026-01 to 2026-06 - * Countries with highest number of cases for the period - **WHO classifies all suspected measles cases reported from India as measles clinically compatible if a specimen was not collected as per the algorithm for classification of suspected measles in the WHO VPD Surveillance Standards. Thus numbers might be different between what WHO reports and what India reports.

Surveillance sensitivity reporting rate of measles and rubella (12 months, discarded cases* per 100,000 population)



World Health Organization

Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do notimply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Notes: Based on data received 2026-08 - Surveillance data from 2025-07 to 2026-06 - Target: >= 2 discarded cases* / 100,000 population** - * Suspected cases investigated and discarded as non-measles non-rubella using laboratory testing and/or epidemiological linkage to another etiology ** World population prospects, 2024 revision

Disclaimer

This document contains data provided to WHO by member states. Note that some member states only provide aggregate data to WHO, and for these, we are unable to generate a country profile. Some member states report all cases at one time point for the entire year, and thus epidemiologic curves generated are not accurate and a reporting artifact. For some countries, cases are reported by age category, not by exact age in months and/or years. Thus, age distribution/incidence is approximate. Cases classified as pending by countries are classified at WHO as clinically compatible at this time, and thus numbers might different between data shown here and provided by the member state or WHO country/regional offices.
*UN population data is used as the denominator for calculating incidence.

Measles case distribution (AFR), 2021–2026



Based on data received 2026-08 - Data Source: IVB Database

Measles cases: Angola

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Cameroon

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Central African Republic

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Democratic Republic of the Congo

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Ethiopia

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Liberia

ELIMINATION STATUS: **ENDEMIC**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Madagascar

ELIMINATION STATUS: **ENDEMIC**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Mozambique

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Nigeria

ELIMINATION STATUS: **ENDEMIC**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: South Africa

ELIMINATION STATUS: **ENDEMIC**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (AMR), 2021-2026



Based on data received 2026-08 - Data Source: IVB Database

Measles cases: Canada

ELIMINATION STATUS: **RE-ESTABLISHED**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Guatemala

ELIMINATION STATUS: **VERIFIED**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using a combination of case-based and aggregate surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Mexico

ELIMINATION STATUS: **VERIFIED**



Subnational distribution of cases (last 12 months)



No age distribution data available for the past 12 months

WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Peru

ELIMINATION STATUS: **VERIFIED**



No subnational data available for the past 12 months

No age distribution data available for the past 12 months



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: United States of America

ELIMINATION STATUS: **VERIFIED**



No subnational data available for the past 12 months

No age distribution data available for the past 12 months



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using aggregate surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (EMR), 2021-2026



Based on data received 2026-08 - Data Source: IVB Database

Measles cases: Afghanistan

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Pakistan

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Sudan

ELIMINATION STATUS: **ENDEMIC**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Syrian Arab Republic

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Yemen

ELIMINATION STATUS: **ENDEMIC**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (EUR), 2021-2026



Based on data received 2026-08 - Data Source: IVB Database

Measles cases: Bulgaria

ELIMINATION STATUS: **VERIFIED**



No subnational data available for the past 12 months





Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Kazakhstan

ELIMINATION STATUS: **ENDEMIC**



No subnational data available for the past 12 months

No age distribution data available for the past 12 months



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using aggregate surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Tajikistan

ELIMINATION STATUS: **ELIMINATED**



No subnational data available for the past 12 months





Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: United Kingdom of Great Britain and Northern Ireland

ELIMINATION STATUS: **RE-ESTABLISHED**



No subnational data available for the past 12 months





Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Ukraine

ELIMINATION STATUS: **ENDEMIC**



No subnational data available for the past 12 months





Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (SEAR (excl. India)), 2021-2026



Based on data received 2026-08 - Data Source: IVB Database

Measles cases: Bangladesh

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Maldives

ELIMINATION STATUS: **VERIFIED**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (SEAR, India), 2021-2026



Based on data received 2026-08 - Data Source: IVB Database

Measles cases: India

ELIMINATION STATUS: **ENDEMIC**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles case distribution (WPR), 2021-2026



Based on data received 2026-08 - Data Source: IVB Database

Measles cases: Cambodia

ELIMINATION STATUS: **RE-ESTABLISHED**









Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Indonesia

ELIMINATION STATUS: **ENDEMIC**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using a combination of case-based and aggregate surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Measles cases: Japan

ELIMINATION STATUS: **VERIFIED**



Subnational distribution of cases (last 12 months)



Age distribution, vaccination status and incidence (last 12 months)



WHO/UNICEF Coverage Estimates (WUENIC)



Based on data received 2026-08 - Data Source: IVB Database. Main epi curve was built using case-based surveillance data. Age distribution curve was built using case-based surveillance data. Coverage data from WHO/UNICEF Estimates of National Immunization Coverage (WUENIC)

Distribution of measles genotypes (last 12 months)



World Health Organization

Map production: World Health Organization, 2026. All rights reserved
Data source: IVB Database

Disclaimer: The boundaries and names shown and the designations used on this map do notimply the expression of any opinion whatsoever on the part of the World Health Organization concerning the legal status of any country, territory, city or area or of its authorities, or concerning the delimitation of its frontiers or boundaries. Dotted and dashed lines on maps represent approximate border lines for which there may not yet be full agreement.

Data Source: MeaNS2 database (Genotypes) and IVB Database (Incidence) as of 2026-08-10 and covering the period between 2025-07 and 2026-06 - Pie charts proportional to the number of sequenced viruses